

- 4 -

RECEIVED  
09/14/2005 03:00 CENTRAL FAX CENTER

SEP 15 2005

24. In a broadcast SFN system using OFDM transmission from a base station to subscriber units, means for achieving a bi-directional channel comprising transmitting means in the subscriber units for a transmission of signals orthogonal to the signals transmitted from the base station, and receiving means in the base station for receiving the orthogonal signals, further including means in the base station for separate processing of the transmit broadcast data and the transmit personalized data in the frequency domain, and means for combining the broadcast and personalized data in the frequency domain, prior to conversion to the time domain for transmission.

25. In a broadcast SFN system using OFDM transmission from a base station to subscriber units, means for achieving a bi-directional channel comprising transmitting means in the subscriber units for a transmission of signals orthogonal to the signals transmitted from the base station, and receiving means in the base station for receiving the orthogonal signals, further including means in the subscriber unit for converting the received signals to the frequency domain, means for separating the broadcast data and the personalized data in the frequency domain, and means for separate processing of the broadcast data and the personalized data in the frequency domain.

26. In a broadcast SFN system using OFDM transmission from a base station to subscriber units, means for achieving a bi-directional channel comprising transmitting means in the subscriber units for a transmission of signals orthogonal to the signals transmitted from the base station, and receiving means in the base station for receiving the orthogonal signals, further including means in the base station for transmitting personalized data to each subscriber, comprising means for a transmission of signals orthogonal to the broadcast signals and to the signals transmitted from the subscriber units.

27. In a broadcast SFN system using OFDM transmission from a base station to subscriber units, means for achieving a bi-directional channel comprising transmitting means in the subscriber units for a transmission of signals orthogonal to the signals transmitted from the base station, and receiving means in the base station for receiving the orthogonal signals, wherein the transmitting means further includes a personalized data channel which is inserted after the OFDM interleaver stages and in the frequency domain.

28. In a broadcast SFN system using OFDM transmission from a base station to subscriber units, means for achieving a bi-directional channel comprising transmitting means in the subscriber units for a transmission of signals orthogonal to the signals transmitted from the base station, and receiving means in the base station for receiving the orthogonal signals, wherein the transmitting means further includes means for a dynamic allocation of subcarriers to personalized information.

29. In a broadcast SFN system using OFDM transmission from a base station to subscriber units, means for achieving a bi-directional channel comprising transmitting means in the subscriber units for a transmission of signals orthogonal to the signals transmitted from the base station, and receiving means in the base station for receiving the orthogonal signals, wherein the transmitting means in the base station further includes means for separate processing of transmit broadcast data and the transmit personalized data in the frequency domain.

30. The broadcast SFN system according to claim 29, further including means for combining the processed transmit broadcast data and transmit personalized data, and means for converting the resulting signal to a time domain prior to its transmission.

Claims 31-32 (Canceled) --

- 6 -

09/482,030

REMARKS

Responsive to the Office Action, the claims 31 and 32 have been canceled.

In view of the foregoing, it is believed that this application is now in condition for allowance.

Respectfully submitted,



Dr Zion Hadad, Applicant  
48 Haalmogim Street  
Rishon Lezion  
Israel

zionh@runcom.co.il  
Tel. 011-9723-952-8440  
Fax. 011-9723-952-8805

Answer to examiner: November 26, 2004  
DECEMBER



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/482,030	01/13/2000	Zion Hadad		6459
<div style="display: flex; justify-content: space-between;"> <div> <p>7590</p> <p>07/08/2005</p> <p>Zion Hadad 48 Maalmogim St Rishon Lezion, ISRAEL</p> </div> <div> <p>EXAMINER</p> <p>BEAMER, TEMICA M</p> </div> </div>				
<div style="display: flex; justify-content: space-between;"> <div> <p>ART UNIT</p> <p>2681</p> </div> <div> <p>PAPER NUMBER</p> </div> </div>				

DATE MAILED: 07/08/2005

Please find below and/or attached an Office communication concerning this application or proceeding.